

OFFICE OF THE SUPERINTENDENT, CHC BENTKAR, CUTTACK

BLOCK PROGRAMME MANAGEMENT SUPPORT UNIT

NHM, BENTKAR

E-mail: bpmubentkar2024@gmail.com



Letter No. 247

Date: 07-03-2025

To-


The Regional Officer , State Pollution Control Board ,  
SuryaVihar , Link road , Cuttack .

Sub: Submission of Annual report of CHC Bentkar , Cuttack .

Sir,

I am enclosing here with the annual report of Bio Medical Waste generation from Jan 2025 to Dec 2025 in form IV for taking further action at your end.


Yours faithfully,

  
07.03.2026  
Superintendent  
CHC Bentkar, Cuttack .  
Cuttack

Memo no 248

date 07-03-2026

Copy to CDM & PHO , Cuttack for kind information.

  
07.03.2026  
Superintendent  
CHC Bentkar, Cuttack  
Superintendent  
CHC Bentkar  
Cuttack

**Form- IV**  
(Sec Rule 13)  
**ANNUAL REPORT FOR THE YEAR-2025**

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility(CBMWTF)]

Sl. No.	Particulars		
1	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or operator of facility)	:	Superintendent CHC Beotkar
	(ii) Name CBMWTF	:	Community Health Centre, Beotkar
	(iii) Address of Correspondence	:	Superintendent CHC Beotkar
	(iv) Address of Facility	:	42 Mouza, DIST- CUTTACK
	(v) Tel. No, Fax. No	:	
	(vi) Email ID	:	beotkar che@gmail.com
	(vii) URL of Website	:	
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF of CBMWTF	:	
	(x) Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorization No- 956/IND-IV-BW-1070 . valid upto- 31-03-2030
	(xi) Status of Consents under Water Act and Air Act	:	31-03-2030
2	Type of Health Care Facility	:	06 Bed
	(i) Bedded Hospital	:	✓ 06 Bed
	(ii) Non-bedded Hospital	:	
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	956/IND-IV-BW-1070 Date of Expiry 31-03-2030
3	Details of CBMWTF		
	(i) Number healthcare facilities covered by CBMWTF	:	
	(ii) No of beds covered by CBMWTF	:	06 (Six)
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	3.966 kg / day
4	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow category:- 506.630 kg Red category:- 482.140 kg White category:- 12.652 kg Blue category:- 446.210 kg General Solid Waste:- 1378 kg
5	(i) Details of the on-site storage facility	:	
	Disposal facilities	:	
	(iii) Quantity of recyclable wastes sold to	:	

	authorized recyclers after treatment in kg per annum.		Nil
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	125
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	:	
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	Sani clean PYT-LTD (CBWTFDF Agency)
	(vii) List of member HCF not handed over bio-medical waste.	:	
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		Yes
7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management.		01
	(ii) Number of personnel trained	:	108
	(iii) Number of personnel trained at the time of induction	:	
	(iv) Number of personnel not undergone any training so far	:	
	(v) Whether standard manual for training is available?	:	
	(vi) Any other information		
8	Details of the accident occurred during the year		NA
	(i) Number of Accidents occurred	:	
	(ii) Number of the person affected	:	
	(iii) Remedial Action taken (Please attach details if any)	:	
	(iv) Any Fatality occurred, details.	:	
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		NA
	Details of Continuous online emission monitoring systems installed		
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		NA
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		NA
12	Any other relevant information	:	NA

Certified that the above report is for the period from January 2025 to December 2025. This is certify that Bio medical waste management is done as per guideline.

Dr. Prasanta Kumar Samal

Name and Signature of the Head of the Institution

Date: 07-03-26

Place: CHC Bantkar

07.03.2026  
Superintendent  
CHC Bantkar  
Cuttack